STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION




→ @ Beam & Span

Contract #76946


4 - 12" x 12" x 1" Steel Plates at

P.P.C. Dk. Bms.



BITUMINOUS CONCRETE SURFACE COURSE PROFILE

(Bituminous concrete surface course along edge of beams)




(Bituminous concrete surface course along € Roadway)

include 12" for waterproofing membrance thickness.

BITUMINOUS CONCRETE SURFACE COURSE PROFILE

Bituminous Concrete Surface Course Profile dimensions




SECTION THRU ABUTMENT

* 1" Jt. shall be filled with non-shrink grout. 1" dimension may vary to accommodate tolerance in beam lengths.

After beams have been erected, holes shall be drilled into substructure and anchor dowels placed. Dowel holes shall be filled with non-shrink grout to top of beam and allowed to cure min. 24 hrs. prior to grouting the shear keys.

All horizontal dimensions are at right angles to beam ends. See sheet 7 of 9 for bearing pad details.



SHEAR KEY CLAMPING DETAILS AT STAGE CONST. JT.

CLAMPING PLATE

See Special Provisions for Stage Construction of Precast Prestressed Concrete Deck Beams. Cost included with "Precast Prestressed Concrete Deck Beams". See Stage Construction Details for traffic lanes.

SUPERSTRUCTURE DETAILS F.A.P. ROUTE 817 - SECTION 8BR-3 WASHINGTON COUNTY STATION 36+12.71 STRUCTURE NO. 095-0011

DESIGNED EML CHECKED NJM DRAWN EML CHECKED NJM



© F.A.P. Rte, 817

--& ¢ Structure

5 rail post spaces at 5'-6" = 27'-6"

32'-0"

PLAN

Rail spacing the same on both sides of the bridge.

See sheet 5 of 9 for end of bridge rail location.

Bk. of E. Abut. --

Bk. of W. Abut.

Notes: